

Refine Search

Search Results -

Term	Documents
WITHOUT	6316869
WITHOUTS	24
NO	11743523
NOES	1011
NOS	655944
NOE	7828
"NOT"	3342059
NOTS	3086
USING	6036398
USINGS	453
PC	296070
((WITHOUT OR "NO" OR "NOT" OR USING) NEAR6 (POINT\$3 OR PC OR PROGRAM NEAR1 COUNTER) NEAR15 (INTERRUPT NEAR3 ROUTINE\$1)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	44

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Recall Text

Clear

Interrupt

Refine Search

Search History

DATE: Wednesday, June 09, 2004 [Printable Copy](#) [Create Case](#)

Set
Name Query

Hit Set
Count Name

side by
side

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L13</u>	repea\$6 near8 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near45 interrupt near3 service near3 routine\$1	11	<u>L13</u>
------------	--	----	------------

<u>L12</u>	L11 not l3	1	<u>L12</u>
------------	------------	---	------------

<u>L11</u>	repea\$6 near8 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near25 interrupt near3 service near3 routine\$1	11	<u>L11</u>
------------	--	----	------------

DB=PGPB,USPT; PLUR=YES; OP=OR

<u>L10</u>	L9 not l3	33	<u>L10</u>
------------	-----------	----	------------

<u>L9</u>	L8 and l1	36	<u>L9</u>
-----------	-----------	----	-----------

<u>L8</u>	l5 or L7	11186	<u>L8</u>
-----------	----------	-------	-----------

<u>L7</u>	(712/2-300)[CCLS]	9868	<u>L7</u>
-----------	-------------------	------	-----------

<u>L6</u>	(712/2-300)![CCLS]	9868	<u>L6</u>
-----------	--------------------	------	-----------

<u>L5</u>	(710/260-269)![CCLS]	1534	<u>L5</u>
-----------	----------------------	------	-----------

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L4</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near25 interrupt near3 service near3 routine\$1	10	<u>L4</u>
-----------	--	----	-----------

<u>L3</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near15 interrupt near3 service near3 routine\$1	10	<u>L3</u>
-----------	--	----	-----------

<u>L2</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number) near15 interrupt near3 service near3 routine\$1	7	<u>L2</u>
-----------	---	---	-----------

<u>L1</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number) and interrupt near3 service near3 routine\$1	83	<u>L1</u>
-----------	--	----	-----------

END OF SEARCH HISTORY

side by side		result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L19</u>	(without or "NO" or "NOT" or using) near6 (point\$3 or pc or program near1 counter) near15 (interrupt near3 routine\$1)	44 <u>L19</u>
<u>L18</u>	L17 not l16	32 <u>L18</u>
<u>L17</u>	(without or "NO" or "NOT" or using) near6 (point\$3 or pc or program near1 counter) near5 (interrupt near3 routine\$1)	34 <u>L17</u>
<u>L16</u>	(without) near6 (point\$3 or pc or program near1 counter) near5 (interrupt near3 routine\$1)	2 <u>L16</u>
<u>L15</u>	(without) near6 (pc or program near1 counter) near5 (interrupt near3 routine\$1)	1 <u>L15</u>
<u>L14</u>	(repea\$6 or repet\$6) near8 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near45 interrupt near3 service near3 routine\$1	11 <u>L14</u>
<u>L13</u>	repea\$6 near8 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near45 interrupt near3 service near3 routine\$1	11 <u>L13</u>
<u>L12</u>	L11 not l3	1 <u>L12</u>
<u>L11</u>	repea\$6 near8 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near25 interrupt near3 service near3 routine\$1	11 <u>L11</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>		
<u>L10</u>	L9 not l3	33 <u>L10</u>
<u>L9</u>	L8 and l1	36 <u>L9</u>
<u>L8</u>	l5 or L7	11186 <u>L8</u>
<u>L7</u>	(712/2-300)[CCLS]	9868 <u>L7</u>
<u>L6</u>	(712/2-300)![CCLS]	9868 <u>L6</u>
<u>L5</u>	(710/260-269)![CCLS]	1534 <u>L5</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L4</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near25 interrupt near3 service near3 routine\$1	10 <u>L4</u>
<u>L3</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number or loop\$4) near15 interrupt near3 service near3 routine\$1	10 <u>L3</u>
<u>L2</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number) near15 interrupt near3 service near3 routine\$1	7 <u>L2</u>
<u>L1</u>	repea\$5 near5 execut\$5 near8 (time\$1 or count\$3 or number) and interrupt near3 service near3 routine\$1	83 <u>L1</u>

END OF SEARCH HISTORY

Hit List

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 5941940 A

L7: Entry 1 of 2

File: USPT

Aug 24, 1999

US-PAT-NO: 5941940

DOCUMENT-IDENTIFIER: US 5941940 A

TITLE: Digital signal processor architecture optimized for performing fast Fourier Transforms

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 2. Document ID: US 5862065 A

L7: Entry 2 of 2

File: USPT

Jan 19, 1999

US-PAT-NO: 5862065

DOCUMENT-IDENTIFIER: US 5862065 A

TITLE: Method and circuit for fast generation of zero flag condition code in a microprocessor-based computer

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KIMC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Term	Documents
REPEA\$5	0
REPEA	8
REPEAABLY	1
REPEAAT	2
REPEAATED	4
REPEACED	1
REPEACTED	2
REPEADED	6
REPEADEDLY	24

REPEADELY	1
REPEADETLY	2
(L5 AND (REPEA\$5 OR REPET\$7)).USPT.	2

[There are more results than shown above. Click here to view the entire set.](#)

Display Format: [Change Format](#)

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Refine Search

Search Results -

Term	Documents
REPEA\$5	0
REPEA	8
REPEAABLY	1
REPEAAT	2
REPEAATED	4
REPEACED	1
REPEACTED	2
REPEADED	6
REPEADEDLY	24
REPEADELY	1
REPEADETLY	2
(L5 AND (REPEA\$5 OR REPET\$7)).USPT.	2

There are more results than shown above. [Click here to view the entire set.](#)

Database:

☐ US Pre-Grant Publication Full-Text Database
☒ US Patents Full-Text Database
☐ US OCR Full-Text Database
☐ EPO Abstracts Database
☐ JPO Abstracts Database
☐ Derwent World Patents Index
☐ IBM Technical Disclosure Bulletins

Search:

L7

Search History

DATE: Wednesday, June 09, 2004 [Printable Copy](#) [Create Case](#)

Set
Name Query

side by
side

DB=USPT; PLUR=YES; OP=OR

Hit Set
Count Name
result set

<u>L7</u>	L5 and (repea\$5 or repet\$7)	2	<u>L7</u>
<u>L6</u>	L5 and (count\$3 or loop\$4 or iterat\$6)	0	<u>L6</u>
<u>L5</u>	6145049.pn. or 5694555.pn. or 5862065.pn. or 5941940.pn. or 4872128.pn.	5	<u>L5</u>
<u>L4</u>	4768149.pn.	1	<u>L4</u>
<u>L3</u>	(repea\$7 or repet\$7 or itelat\$5) near8 execut\$3 near15 (time\$1 or count\$3 or number or loop\$4) near25 interrupt near3 service near3 routine\$1	10	<u>L3</u>
<u>L2</u>	(without or "NO" or "NOT" or using) near6 (point\$3 or pc or program near1 counter) near15 (interrupt near3 routine\$1)	37	<u>L2</u>
<u>L1</u>	(repea\$7 or repet\$7) near8 execut\$3 near15 (time\$1 or count\$3 or number or loop\$4) near25 interrupt near3 service near3 routine\$1	10	<u>L1</u>

END OF SEARCH HISTORY